



## 10ZIG DUAL MONITOR

**INTRODUCTION:** This guide will provide you with the steps you need to take to enable dual screen monitors on the bases you have connected 2 monitors to the 10zig unit


**SYSTEM REQUIREMENTS:** None to mention

### WHAT YOU MAY NEED & OTHER CONSIDERATIONS:

- Must ensure monitors are connected properly and switched on


## STEP ONE

First step is to select 'Quit' on the go.vdeskonline.com log in page to take you back to the 10 zig configuration area



## STEP TWO


Select Display Configuration



For support please call +44 (0) 20 3740 1060, or email [support@it-logik.com](mailto:support@it-logik.com)

**STEP THREE**


To change the main display i.e. the monitor that the log in page is displayed on choose make this my main display (skip to section 5)



For support please call +44 (0) 20 3740 1060, or email [support@it-logik.com](mailto:support@it-logik.com)

## STEP FOUR


To change the left/ right screen select the secondary screen i.e. Display – DVI2 and change the order of the 'Orientation of the Secondary Screen' i.e. right to left or left to right



For support please call +44 (0) 20 3740 1060, or email [support@it-logik.com](mailto:support@it-logik.com)


## STEP FIVE

You will be prompted for a restart



## STEP SIX

When the 10 zig boots you will be prompted with the below. Select Yes – it can take a couple of tries because sometimes the cursor does not show until a few seconds left



For support please call +44 (0) 20 3740 1060, or email [support@it-logik.com](mailto:support@it-logik.com)